

Prepared for
Wisconsin Public Service Corporation

Date
January 31, 2025

Project No.
1940102327

2024 CCR ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

WESTON DISPOSAL SITE NO. 3 LANDFILL

**2024 CCR ANNUAL GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT
WESTON DISPOSAL SITE NO. 3 LANDFILL**

Project name **Weston Disposal Site No. 3 Landfill**
Project no. **1940102327**
Recipient **Wisconsin Public Service Corporation**
Document type **Annual CCR Groundwater Monitoring and Corrective Action Report**
Revision **FINAL**
Date **January 31, 2025**
Prepared by **Kyle J. Schaefer**
Checked by **Eric J. Tlachac, PE**
Approved by **Nathaniel R. Keller, PG**

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T 414-837-3607
F 414-837-3608
<https://ramboll.com>



Kyle J. Schaefer
Senior Project Scientist



Eric J. Tlachac, PE
Senior Project Manager



Nathaniel R. Keller, PG
Senior Technical Manager

CONTENTS

EXECUTIVE SUMMARY	3
1. Introduction	4
2. Monitoring and Corrective Action Program Status	6
3. Key Actions Completed in 2024	6
4. Problems Encountered and Actions to Resolve the Problems	8
5. Key Activities Planned for 2025	9
6. References	10

TABLES (IN TEXT)

Table A 2024 Detection Monitoring Program Summary

TABLES (ATTACHED)

Table 1 Groundwater Elevations
Table 2 Analytical Results – CCR Parameters

FIGURES (ATTACHED)

Figure 1 Monitoring Well Location Map
Figure 2 Potentiometric Surface Map, April 25, 2024
Figure 3 Potentiometric Surface Map, October 15, 2024

APPENDICES

Appendix A Laboratory Reports

ACRONYMS AND ABBREVIATIONS

§	Section
40 C.F.R.	Title 40 of the Code of Federal Regulations
ACL	Alternative Concentration Limit
Ca	calcium
CCR	coal combustion residuals
Cl	chloride
ES	Enforcement Standard
ESAP	Environmental Sampling & Analysis Plan
mg/L	milligrams per liter
NA	not applicable
No.	number
NRT/OBG	Natural Resource Technology, an OBG Company
PAL	Preventive Action Limit
Ramboll	Ramboll Americas Engineering Solutions, Inc.
SAP	Sampling and Analysis Plan
SO ₄	Sulfate
TBD	to be determined
TDS	total dissolved solids
WDNR	Wisconsin Department of Natural Resources
WDS3	Weston Disposal Site No. 3 Landfill
Wis. Adm. Code	Wisconsin Administrative Code

EXECUTIVE SUMMARY

On August 1, 2022, the Wisconsin Department of Natural Resources (WDNR) updated Wisconsin Administrative Code (Wis. Adm. Code) NR 500 to include additional requirements for new and existing Coal Combustion Residual (CCR) Landfills in the State of Wisconsin. This report has been prepared to provide the information required by Ch. NR 507.15(3)(m) for the Weston Disposal Site Number (No.) 3 (WDS3) Landfill (License #2879) located in the Town of Knowlton, Wisconsin.

In accordance with the August 1, 2022 revisions to Ch. NR 500, a Plan of Operation Modification (Plan Mod), including an Environmental Sampling and Analysis Plan (ESAP) Addendum, was prepared as required in NR 514.045 for the above referenced CCR landfill and submitted to WDNR by February 1, 2023 for review and approval.

- WDNR determined in a letter dated April 26, 2023 that the Plan Mod was incomplete and requested additional information. A revised Plan Mod was prepared and submitted on December 20, 2023.
- WDNR determined in a letter dated March 18, 2024 that the revised Plan Mod remained incomplete and requested additional information. Following this request, a second revision to the Plan Mod was prepared and submitted on August 23, 2024.
- On November 21, 2024, a notification letter from WDNR provided concurrence on completeness of the Plan Mod. A virtual meeting was held on January 7, 2025, allowing public comment on the Plan Modification and the comment period remained open until January 27, 2025.

Beginning in 2016, sampling at the WDS3 Landfill was completed in accordance with the Detection Monitoring Program requirements specified in Title 40 of the Code of Federal Regulations (40 C.F.R.) Section (§) 257.94. Following the updates to the Wis. Adm. Code in 2022, groundwater sampling was completed in accordance with Ch. NR 507.15(3)(L) (Detection Monitoring) during 2023 and 2024.

Comparisons of the concentrations of detected parameters to NR 140 standards (Preventive Action Limits [PALs] and Enforcement Standards [ESs]) were not completed because Alternative Concentration Limits (ACLs) for these parameters and proposed monitoring locations are pending WDNR decision on the Plan Mod.

No changes were made to the monitoring system in 2024 (no wells were installed or decommissioned).

1. INTRODUCTION

This report has been prepared by Ramboll Americas Engineering Solutions, Inc. (Ramboll) on behalf of Wisconsin Public Service Corporation, to provide the information required by Ch. NR 507.15(3)(m) at the WDS3 Landfill (License #2879) located in the Town of Knowlton, Wisconsin.

In accordance with Ch. NR 507.15(3)(m), the owner or operator of a CCR landfill must prepare an Annual Groundwater Monitoring and Corrective Action Report for the preceding calendar year that documents the status of the Groundwater Monitoring and Corrective Action Program for the CCR landfill (**Section 2**), summarizes key actions completed (**Section 3**), describes any problems encountered, discusses actions to resolve the problems (**Section 4**), and projects key activities for the upcoming year (**Section 5**). At a minimum, the annual report must contain the following information, to the extent available:

1. A map, aerial image, or diagram showing the CCR landfill and all upgradient and downgradient monitoring wells, including the well identification numbers, that are part of the groundwater monitoring for the CCR landfill (**Figure 1**).
2. Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken (**Section 3**).
3. In addition to all the monitoring data obtained under Ch. NR 507.15(3)(L) (**Tables 1 and 2**), a summary including the number of groundwater samples that were collected for analysis for each upgradient and downgradient well, the dates the samples were collected, and whether the sample was required by the Detection Monitoring or Assessment Monitoring (**Section 3 and Table A**).
4. A narrative discussion of any transition between monitoring including the date and circumstances for transitioning from Detection Monitoring to Assessment Monitoring (**Section 2**) in addition to identifying any constituents detected above Ch. NR 140 standards (**Table A**).
5. A section at the beginning of the annual report that provides an overview of the current status of groundwater monitoring and corrective action for the CCR landfill (**Executive Summary**). At a minimum, the summary shall include all of the following:
 - i. At the start of the current annual reporting period, whether the CCR landfill was operating under Detection Monitoring or Assessment Monitoring. (The WDS3 Landfill began 2024 in Detection Monitoring.)
 - ii. At the end of the current annual reporting period, whether the CCR landfill was operating under Detection Monitoring or Assessment Monitoring. (The WDS3 Landfill ended 2024 in Detection Monitoring.)
 - iii. If it was determined by the owner or operator that there was a groundwater quality exceedance under Ch. NR 140 for one or more constituents listed under Ch. NR 507 Appendix I for CCR wells, a listing of those constituents, the names of the monitoring wells associated with the exceedances, and the date when the Assessment Monitoring was initiated for the CCR landfill. Comparisons of the concentrations of detected parameters to NR 140 standards were not completed because ACLs for these parameters and proposed monitoring locations are pending a WDNR decision on the Plan Mod.

- iv. If corrective action measures were required, the date when the assessment of corrective measures was initiated for the CCR landfill, the date when the public informational hearing under Ch. NR 508.06(3)(e) was held for the discussion of the results of the remedial action options report, and the date when the assessment of corrective measures was completed. (Corrective action measures were not required for the WDS3 Landfill in 2024).
- v. If a remedy was required under Ch. NR 508 during the annual reporting period, the date of remedy selection, and whether remedial activities were initiated or are ongoing during the annual reporting period. (A corrective action remedy was not required for the WSD3 Landfill in 2024).

This report provides the required information for the WDS3 Landfill for calendar year 2024.

2. MONITORING AND CORRECTIVE ACTION PROGRAM STATUS

As required in Ch. NR 514.045, a Plan Mod, including an ESAP Addendum, was prepared for the WDS3 Landfill to fulfill additional requirements related to the August 1, 2022 revisions to Ch. NR 500 and submitted to WDNR by February 1, 2023 for review and approval.

- WDNR determined in a letter dated April 26, 2023 and March 18, 2024 that the Plan Mod and a subsequent revision was incomplete and requested additional information.
- A second revision to the Plan Mod. was prepared and submitted on August 23, 2024.
- On November 21, 2024, a notification letter from WDNR provided concurrence on completeness of the Plan Mod. A virtual meeting was held on January 7, 2025, allowing public comment on the Plan Mod. and the public comment period remained open until January 27, 2025.

Comparisons of the concentrations of detected parameters to Ch. NR 140 standards (Preventive Action Limits [PALs] and Enforcement Standards [ESs]) were not completed because Alternative Concentration Limits (ACLs) for these parameters and proposed monitoring locations are pending WDNR's decision. Accordingly, no changes have occurred to the monitoring program status in calendar year 2024.

Beginning in 2016 sampling at the WDS3 Landfill was completed in accordance with the Detection Monitoring Program requirements specified in Title 40 of the Code of Federal Regulations (40 C.F.R.) Section (§) 257.94. Following updates to the Wis. Adm. Code in 2022, groundwater sampling has been completed in accordance with Ch. NR 507.15(3)(L) (Detection Monitoring).

In 2025, groundwater sampling will continue to be completed in accordance with Ch. NR 507.15(3)(L).

3. KEY ACTIONS COMPLETED IN 2024

The Detection Monitoring Program is summarized in **Table A**, below. The groundwater monitoring system, including the CCR unit and all background (upgradient) and downgradient monitoring wells, is presented in **Figure 1**. No changes were made to the monitoring system in 2024.

In general, one groundwater sample was collected from each background and downgradient well during each monitoring event. All samples were collected and analyzed in accordance with the *Sampling and Analysis Plan Revision 1, Weston Disposal Site No. 3 Landfill* (Ramboll, 2023) submitted as Appendix C of the ESAP Addendum. Potentiometric surface maps for both monitoring events in 2024 are included in **Figure 2 and Figure 3**. Water level data, collected from background and downgradient monitoring wells, are included in **Table 1**. All monitoring data and analytical results obtained under Ch. NR 507.15(3)(L) in 2024 are presented in **Table 2**. Laboratory reports for all 2024 monitoring events are included in **Appendix A**. Results for analysis of additional samples required by Ch. NR 507 are included in some reports because they were collected during the same sampling events, but are not summarized in this report.

In 2024, groundwater sampling was completed in accordance with Ch. NR 507.15(3)(L).

Table A. 2024 Detection Monitoring Program Summary

Sampling Date	Purpose	Analytical Data Receipt Date	Parameters Analyzed
April 26, 2024	Detection Monitoring	May 24, 2024	Ch. NR 507 App A Tables 1A
October 16, 2024	Detection Monitoring	January 8, 2025	Ch. NR 507 App A Tables 1A

4. PROBLEMS ENCOUNTERED AND ACTIONS TO RESOLVE THE PROBLEMS

No problems were encountered with the Groundwater Monitoring Program during 2024. Groundwater samples were collected and analyzed in accordance with the SAP and all data were accepted.

5. KEY ACTIVITIES PLANNED FOR 2025

The following key activities are planned for 2025:

- Detection Monitoring in accordance with Ch. NR 507.15(3)(L) with semi-annual sampling scheduled for the second and fourth quarters of 2025. Expanded leachate sampling also to occur as listed in Ch. NR 507 Appendix I, Tables 4 and 5 as applicable.
- Complete evaluation of analytical data from the compliance wells against Ch. NR 140 standards including the PALs, ESs, and/or ACLs, following WDNR's decision on the Plan Mod.
- A notification will be provided to WDNR when results indicate concentrations have attained or exceeded groundwater standards in accordance with Ch. NR 507.30. The notification shall specify the parameters that have attained or exceeded standards, the wells at which the standards (PAL, ES, or ACL) were attained or exceeded, and provide a preliminary analysis of the cause and significance of each concentration in accordance with Chs. NR 140.24(1)(a) or 140.26(1)(a). The notification shall also include the intent to either begin Assessment Monitoring or determine whether a false exceedance occurred.
- As described in Chs. NR 508.06(1)(c) and NR 507.28(3), if a groundwater standard exceedance is detected in a CCR well, a demonstration may be completed to indicating a source other than WDS3 Landfill is the cause or the exceedance is due to an error.
 - If WDNR concurs with the false exceedance demonstration within 30 days of receipt, Detection Monitoring will continue.
 - If WDNR does not concur within 30 days, an Assessment Monitoring Program in accordance with Ch. NR 508.06(2) will be initiated following discussion with WDNR.

6. REFERENCES

Ramboll, 2023. *Sampling and Analysis Plan Revision 1, Weston Disposal Site No. 3 Landfill, Town of Knowlton, Wisconsin*. December 19, 2023.

TABLES

**TABLE 1
GROUNDWATER ELEVATIONS**

2024 CCR ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
WESTON DISPOSAL SITE NO. 3 LANDFILL
TOWN OF KNOWLTON, WI

Well ID	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Groundwater Elevation (ft NAVD88)
LS-101	Background (Upgradient)	44.72648	-89.63627	4/25/2024	1196.14
				10/15/2024	1192.27
LS-100	Compliance (Downgradient)	44.72484	-89.63437	4/25/2024	1191.01
				10/15/2024	1187.86
LS-105	Compliance (Downgradient)	44.72295	-89.63439	4/25/2024	1185.66
				10/15/2024	1184.47
LS-106	Compliance (Downgradient)	44.72219	-89.63533	4/25/2024	1182.14
				10/15/2024	1181.56
LS-107	Compliance (Downgradient)	44.72630	-89.63852	4/25/2024	1188.84
				10/15/2024	1188.16
LS-52	Water Level Only	NA	NA	4/25/2024	1192.22
				10/15/2024	1189.55

Notes:

ft = foot/feet

NAVD88 = North American Vertical Datum of 1988

Weston Disposal Site #3
Table 2. Analytical Results - CCR Parameters

Date Range: 01/01/2024 to 12/31/2024

Lab Methods:

Well Id	Date Sampled	Lab Id	Alkalinity, unfiltered, mg/L	B, tot, mg/L	Ca, tot, mg/L	Cl, tot, mg/L	Fluoride, total, mg/L	Hardness, tot, mg/L
LS-100	4/26/2024	AE73009	24.3	<0.0173	9.2	0.83	<0.095	29.30
	10/16/2024	40286084018	45.2	<0.0173	17.4	2.20	<0.095	55.80
LS-101	4/26/2024	AE73011	8.2	<0.0173	2.0	<0.59	<0.095	7.44
	10/16/2024	40286084019	21.6	<0.0173	4.6	<0.59	<0.095	15.90
LS-105	4/26/2024	AE73018	69.8	0.0294	21.3	1.70	<0.095	75.10
	10/16/2024	40286084020	77.7	0.0514	20.5	0.85	<0.095	71.30
LS-106	4/26/2024	AE73020	13.7	0.1280	4.8	<3.00	<0.480	29.50
	10/16/2024	40286084021	65.2	0.0293	14.5	1.30	<0.095	57.30
LS-107	4/26/2024	AE73021	37.0	0.0328	31.0	20.30	<0.095	106.00
	10/16/2024	40286084022	40.1	0.0332	29.9	23.80	<0.095	102.00

Weston Disposal Site #3
Table 2. Analytical Results - CCR Parameters

Date Range: 01/01/2024 to 12/31/2024




Lab Methods:

Well Id	Date Sampled	Lab Id	pH (field), SU	SO4, tot, mg/L	TDS, mg/L
LS-100	4/26/2024	AE73009	6.0	9.9	68
	10/16/2024	40286084018	5.5	15.4	86
LS-101	4/26/2024	AE73011	6.1	1.7	48
	10/16/2024	40286084019	5.8	2.1	34
LS-105	4/26/2024	AE73018	6.0	17.3	134
	10/16/2024	40286084020	6.0	9.0	98
LS-106	4/26/2024	AE73020	6.2	<2.2	36
	10/16/2024	40286084021	6.0	1.8	80
		40286084025			68
LS-107	4/26/2024	AE73021	5.8	54.7	180
	10/16/2024	40286084022	5.6	51.4	184

FIGURES



Service Layer Credits: Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

-  CCR RULE DOWNGRADIENT MONITORING WELL LOCATION
-  CCR RULE UPGRADIENT MONITORING WELL LOCATION
-  WESTON DISPOSAL SITE NO. 3 LANDFILL



NOTES
 1. IMAGERY DATE = 10/10/2022

MONITORING WELL LOCATION MAP

2024 CCR ANNUAL GROUNDWATER MONITORING
 AND CORRECTIVE ACTION REPORT
 WESTON DISPOSAL SITE NO. 3 LANDFILL
 TOWN OF KNOWLTON, WISCONSIN

FIGURE 1

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.





- WESTON DISPOSAL SITE NO. 3 LANDFILL
- GROUNDWATER GRADIENT CONTROL SYSTEM
- CCR RULE MONITORING WELL
- MONITORING WELL LOCATION
- GROUNDWATER ELEVATION CONTOUR (1-FT CONTOUR INTERVAL, NAVD 88)
- INFERRED GROUNDWATER ELEVATION CONTOUR
- GROUNDWATER FLOW DIRECTION

- NOTES**
1. VERTICAL DATUM IS NORTH AMERICAN VERTICAL DATUM 1988 (NAVD88).
 2. V_{gw} = ESTIMATED FT/YR GROUNDWATER FLOW VELOCITY
 3. IMAGERY DATE = 10/10/2022



**POTENTIOMETRIC SURFACE MAP
APRIL 25, 2024**

**2024 CCR ANNUAL GROUNDWATER MONITORING
AND CORRECTIVE ACTION REPORT
WESTON DISPOSAL SITE NO. 3 LANDFILL
TOWN OF KNOWLTON, WISCONSIN**

FIGURE 2



**GROUNDWATER AVERAGE LINEAR VELOCITY CALCULATIONS
 WESTON DISPOSAL SITE NO. 3 LANDFILL
 TOWN OF KNOWLTON, WISCONSIN**

APRIL 2024		$V = K i / n_e$	V = Groundwater Velocity K = Hydraulic Conductivity i = Hydraulic Gradient (unitless value) n _e = Effective Porosity
UPPERMOST AQUIFER			
Contours	1193 to 1191	South Side of Cell 1 / North Side of Cell 2	Elevation Change (ft) Distance Change (ft)
K =	1.28E+01 ft/yr	Geometric mean for Landfill 3 (all)	
i =	0.007	between contours identified above	
n _e =	25 %		2 / 296 0.007
V =	$\frac{1.28E+01 * 6.76E-03}{0.25}$		
V =	0.35 feet/year		

[O: KJS 8/9/2024, C: NRK 1/28/25]



- WESTON DISPOSAL SITE NO. 3 LANDFILL
- GROUNDWATER GRADIENT CONTROL SYSTEM
- CCR RULE MONITORING WELL
- MONITORING WELL LOCATION
- GROUNDWATER ELEVATION CONTOUR (1-FT CONTOUR INTERVAL, NAVD 88)
- INFERRED GROUNDWATER ELEVATION CONTOUR
- GROUNDWATER FLOW DIRECTION

- NOTES**
1. VERTICAL DATUM IS NORTH AMERICAN VERTICAL DATUM 1988 (NAVD88).
 2. V_{gw} = ESTIMATED FT/YR GROUNDWATER FLOW VELOCITY
 3. IMAGERY DATE = 10/10/2022



**POTENTIOMETRIC SURFACE MAP
OCTOBER 15, 2024**

**2024 CCR ANNUAL GROUNDWATER MONITORING
AND CORRECTIVE ACTION REPORT
WESTON DISPOSAL SITE NO. 3 LANDFILL
TOWN OF KNOWLTON, WISCONSIN**

FIGURE 3



**GROUNDWATER AVERAGE LINEAR VELOCITY CALCULATIONS
WESTON DISPOSAL SITE NO. 3 LANDFILL
TOWN OF KNOWLTON, WISCONSIN**

OCTOBER 2024		$V = K i / n_e$	V = Groundwater Velocity K = Hydraulic Conductivity i = Hydraulic Gradient (unitless value) n_e = Effective Porosity
UPPERMOST AQUIFER			
Contours	1185 to 1184	South Side of Cell 1 / North Side of Cell 2	Elevation Change (ft) Distance Change (ft)
K =	1.28E+01 ft/yr	Geometric mean for Landfill 3 (all)	
i =	0.007	between contours identified above	
n_e =	25 %		1 / 153 0.007
V =	$\frac{1.28E+01 * 6.54E-03}{0.25}$		
V =	0.33 feet/year		

[O:KJS 11/26/24, C: NRK 1/28/25]

APPENDIX A
LABORATORY REPORTS

To: Eric Kovatch
 PSB Annex A231

From: WEC Business Services
 Laboratory Services PSBA-A070
 WDNR Cert # 241329000



Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LHT - WDS#3 Ash Landfill - Semi Annual Sample**
 Sample ID: AE73002 Sample Collection Date/Time: 04/26/2024 17:10
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	9.7	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	2683	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	7.2	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	0.27	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Mercury	27.6	0.20	ng/L	0.50	1		EPA 1631E	5/14/24	020
Total Boron	935	17.3	ug/L	40.0	1		EPA 200.7	5/1/24	020
Total Cadmium	Less Than	1.3	ug/L	5.0	1		EPA 200.7	5/1/24	020
Total Iron	Less Than	56.7	ug/L	100	1		EPA 200.7	5/1/24	020
Total Lead	Less Than	5.9	ug/L	20.0	1		EPA 200.7	5/1/24	020
Total Manganese	1110	1.5	ug/L	5.0	1		EPA 200.7	5/1/24	020
Total Molybdenum	109	2.4	ug/L	10.0	1		EPA 200.7	5/1/24	020
Total Selenium	12.6	12.2	ug/L	40.0	1	J	EPA 200.7	5/1/24	020
Total Hardness as CaCO3	800	1.0	mg/L	5.4	1		Std Mtd 2340B	5/1/24	020
Total Alkalinity as CaCO3	69.4	5.0	mg/L	10.0	1		SM 2320 B-1997	5/7/24	020
Total Suspended Solids	Less Than	0.48	mg/L	1.0	1		Std Mtd 2540 D	4/30/24	020
Biochemical Oxygen Demand	Less Than	2	mg/L	2	1		Std Mtd 5210B	5/2/24	020
Total Chloride	206	11.8	mg/L	40.0	20		EPA 300.0	5/10/24	020
Total Sulfate	1180	8.9	mg/L	40.0	20		EPA 300.0	5/10/24	020
COD	41.0	14.7	mg/L	50.0	1		EPA 410.4	5/8/24	020

Sample Comments:

Sample Description: **LS-10 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE73003 Sample Collection Date/Time: 04/26/2024 11:45
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	12.19	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	7.4	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	278	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	7.0	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	15.9	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-10 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73003 Sample Collection Date/Time: 04/26/2024 11:45
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Hardness as CaCO3	139	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	138	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	138	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	4.0	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-48P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73004 Sample Collection Date/Time: 04/25/2024 14:45
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	1.27	0.05	feet		1		H2OD	4/25/24	JOETTINGER
Field Temperature	8.6	0.1	Degrees t		1		TEMP	4/25/24	JOETTINGER
Field Conductivity	203	0	umhos		1		FCOND25	4/25/24	JOETTINGER
Field pH	8.0	0.1	Units	0.1	1		FIELDPH	4/25/24	JOETTINGER
Turbidity	29.6	0.1	NTU'S		1		EPA 180.1	4/25/24	JOETTINGER
Dissolved Boron	83.6	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	16.7	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	52.2	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	92.4	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	92.4	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	14.7	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-48R Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73005 Sample Collection Date/Time: 04/25/2024 14:45
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	2.25	0.05	feet		1		H2OD	4/25/24	JOETTINGER
Field Temperature	5.9	0.1	Degrees t		1		TEMP	4/25/24	JOETTINGER
Field Conductivity	205	0	umhos		1		FCOND25	4/25/24	JOETTINGER
Field pH	7.3	0.1	Units	0.1	1		FIELDPH	4/25/24	JOETTINGER

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-48R Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73005 Sample Collection Date/Time: 04/25/2024 14:45
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Turbidity	17.8	0.1	NTU'S		1		EPA 180.1	4/25/24	J OETTINGER
Dissolved Boron	65.0	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	92.9	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	104	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	104	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	7.2	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-49R Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73006 Sample Collection Date/Time: 04/26/2024 16:21
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	3.73	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	5.7	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	204	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	6.1	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	8.4	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	87.0	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	108	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	108	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	4.4	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-54 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73007 Sample Collection Date/Time: 04/26/2024 10:35
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	1.31	0.05	feet		1		H2OD	4/26/24	J OETTINGER

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-54 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73007 Sample Collection Date/Time: 04/26/2024 10:35
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	5.5	0.1	Degrees C		1		TEMP	4/26/24	JOETTINGER
Field Conductivity	42	0	umhos		1		FCOND25	4/26/24	JOETTINGER
Field pH	6.2	0.1	Units	0.1	1		FIELDPH	4/26/24	JOETTINGER
Turbidity	73.4	0.1	NTU'S		1		EPA 180.1	4/26/24	JOETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	11.7	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	8.7	5.0	mg/l	10.0	1	J	Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	8.7	5.0	mg/L	10.0	1	J	HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	4.8	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-54P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73008 Sample Collection Date/Time: 04/26/2024 10:25
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	0.69	0.05	feet		1		H2OD	4/26/24	JOETTINGER
Field Temperature	7.2	0.1	Degrees C		1		TEMP	4/26/24	JOETTINGER
Field Conductivity	62	0	umhos		1		FCOND25	4/26/24	JOETTINGER
Field pH	6.6	0.1	Units	0.1	1		FIELDPH	4/26/24	JOETTINGER
Turbidity	157.8	0.1	NTU'S		1		EPA 180.1	4/26/24	JOETTINGER
Dissolved Boron	18.2	17.3	ug/L	40.0	1	J	EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	20.6	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	22.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	22.1	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	5.1	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-100 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE73009 Sample Collection Date/Time: 04/26/2024 14:04
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	8.26	0.05	feet		1		H2OD	4/26/24	JOETTINGER
Field Temperature	5.1	0.1	Degrees t		1		TEMP	4/26/24	JOETTINGER
Field Conductivity	77	0	umhos		1		FCOND25	4/26/24	JOETTINGER
Field pH	6.0	0.1	Units	0.1	1		FIELDPH	4/26/24	JOETTINGER
Turbidity	3.6	0.1	NTU'S		1		EPA 180.1	4/26/24	JOETTINGER
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	5/2/24	020
Total Calcium	9170	114	ug/L	500	1		EPA 200.7	5/2/24	020
Total Hardness as CaCO3	29.3	1.0	mg/L	5.4	1		Std Mtd 2340B	5/2/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	29.5	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Alkalinity as CaCO3	24.3	5.0	mg/L	10.0	1		SM 2320 B-1997	5/7/24	020
Total Filtered Alkalinity as CaCO3	23.8	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	24.3	5.0	mg/L	10.0	1		HCO3	5/7/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/7/24	020
Total Dissolved Solids	68.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	4/30/24	020
Total Chloride	0.83	0.59	mg/L	2.0	1	J	EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	9.9	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020
Dissolved Sulfate	10.1	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Sample Comments:

Sample Description: **LS-100P Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE73010 Sample Collection Date/Time: 04/26/2024 11:15
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	9.46	0.05	feet		1		H2OD	4/26/24	JOETTINGER
Field Temperature	8.4	0.1	Degrees t		1		TEMP	4/26/24	JOETTINGER
Field Conductivity	264	0	umhos		1		FCOND25	4/26/24	JOETTINGER
Field pH	6.7	0.1	Units	0.1	1		FIELDPH	4/26/24	JOETTINGER
Turbidity	35.8	0.1	NTU'S		1		EPA 180.1	4/26/24	JOETTINGER
Dissolved Boron	28.7	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	120	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	124	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	124	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	22.3	0.44	mg/L	2.0	1		EPA 300.0	5/13/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Comments:

Sample Description: **LS-101 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73011 Sample Collection Date/Time: 04/26/2024 13:29
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	9.62	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	5.5	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	23	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	6.1	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	10.0	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	5/1/24	020
Total Calcium	1970	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	7.44	1.00	mg/L	5.40	1		Std Mtd 2340B	5/1/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	6.82	1.00	mg/L	5.40	1		Std Mtd 2340B	4/30/24	020
Total Alkalinity as CaCO3	8.2	5.0	mg/L	10.0	1	J	SM 2320 B-1997	5/10/24	020
Total Filtered Alkalinity as CaCO3	5.8	5.0	mg/l	10.0	1	J	Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	8.2	5.0	mg/L	10.0	1	J	HCO3	5/10/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/10/24	020
Total Dissolved Solids	48.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	4/30/24	020
Total Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	1.7	0.44	mg/L	2.0	1	J	EPA 300.0	5/14/24	020
Dissolved Sulfate	1.7	0.44	mg/L	2.0	1	J	EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-101P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73012 Sample Collection Date/Time: 04/26/2024 11:35
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	9.51	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	8.8	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	54	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	6.8	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	61.1	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-101P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73012 Sample Collection Date/Time: 04/26/2024 11:35
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Hardness as CaCO3	15.1	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	15.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	15.1	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	2.9	0.44	mg/L	2.0	1		EPA 300.0	5/9/24	020

Sample Comments:

Sample Description: **LS-102 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73013 Sample Collection Date/Time: 04/25/2024 15:40
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	2.63	0.05	feet		1		H2OD	4/25/24	JOETTINGER
Field Temperature	8.7	0.1	Degrees t		1		TEMP	4/25/24	JOETTINGER
Field Conductivity	66	0	umhos		1		FCOND25	4/25/24	JOETTINGER
Field pH	6.5	0.1	Units	0.1	1		FIELDPH	4/25/24	JOETTINGER
Turbidity	28.9	0.1	NTU'S		1		EPA 180.1	4/25/24	JOETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	19.1	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	10.9	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	10.9	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	6.4	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-102P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73014 Sample Collection Date/Time: 04/25/2024 15:50
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	1.63	0.05	feet		1		H2OD	4/25/24	JOETTINGER
Field Temperature	8.2	0.1	Degrees t		1		TEMP	4/25/24	JOETTINGER
Field Conductivity	109	0	umhos		1		FCOND25	4/25/24	JOETTINGER
Field pH	6.0	0.1	Units	0.1	1		FIELDPH	4/25/24	JOETTINGER

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-102P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73014 Sample Collection Date/Time: 04/25/2024 15:50
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Turbidity	160.6	0.1	NTU'S		1		EPA 180.1	4/25/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	41.8	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	27.3	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	27.3	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	9.2	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-103 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73015 Sample Collection Date/Time: 04/25/2024 12:20
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	10.56	0.05	feet		1		H2OD	4/25/24	J OETTINGER
Field Temperature	10.2	0.1	Degrees t		1		TEMP	4/25/24	J OETTINGER
Field Conductivity	217	0	umhos		1		FCOND25	4/25/24	J OETTINGER
Field pH	6.1	0.1	Units	0.1	1		FIELDPH	4/25/24	J OETTINGER
Turbidity	36.2	0.1	NTU'S		1		EPA 180.1	4/25/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.3	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	69.9	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	5.8	5.0	mg/l	10.0	1	J	Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	5.8	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	4.8	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-103P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73016 Sample Collection Date/Time: 04/25/2024 12:30
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	10.7	0.05	feet		1		H2OD	4/25/24	J OETTINGER

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-103P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73016 Sample Collection Date/Time: 04/25/2024 12:30
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	9.6	0.1	Degrees C		1		TEMP	4/25/24	JOETTINGER
Field Conductivity	444	0	umhos		1		FCOND25	4/25/24	JOETTINGER
Field pH	6.9	0.1	Units	0.1	1		FIELDPH	4/25/24	JOETTINGER
Turbidity	86.4	0.1	NTU'S		1		EPA 180.1	4/25/24	JOETTINGER
Dissolved Boron	19.6	17.3	ug/L	40.0	1	J	EPA 200.7	4/30/24	020
Dissolved Molybdenum	4.5	2.4	ug/L	10.0	1	J	EPA 200.7	4/30/24	020
Total Hardness as CaCO3	212	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	160	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	160	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	14.6	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-104 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73017 Sample Collection Date/Time: 04/26/2024 10:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	9.50	0.05	feet		1		H2OD	4/26/24	JOETTINGER
Field Temperature	6.3	0.1	Degrees C		1		TEMP	4/26/24	JOETTINGER
Field Conductivity	48	0	umhos		1		FCOND25	4/26/24	JOETTINGER
Field pH	7.4	0.1	Units	0.1	1		FIELDPH	4/26/24	JOETTINGER
Turbidity	33.9	0.1	NTU'S		1		EPA 180.1	4/26/24	JOETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	8.43	1.00	mg/L	5.40	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	6.3	5.0	mg/l	10.0	1	J	Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	6.3	5.0	mg/L	10.0	1	J	HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	2.9	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-105 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE73018 Sample Collection Date/Time: 04/26/2024 14:36
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	4.70	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	6.5	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	188	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	6.0	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	2.8	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Boron	29.4	17.3	ug/L	40.0	1	J	EPA 200.7	5/1/24	020
Total Calcium	21300	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	75.1	1.0	mg/L	5.4	1		Std Mtd 2340B	5/1/24	020
Dissolved Boron	28.2	17.3	ug/L	40.0	1	J	EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	76.9	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Alkalinity as CaCO3	69.8	5.0	mg/L	10.0	1	J	SM 2320 B-1997	5/7/24	020
Total Filtered Alkalinity as CaCO3	76.3	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	69.8	5.0	mg/L	10.0	1		HCO3	5/7/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/7/24	020
Total Dissolved Solids	134	8.7	mg/L	20.0	1		Std Mtd 2540 C	4/30/24	020
Total Chloride	1.7	0.59	mg/L	2.0	1		EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	17.3	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020
Dissolved Sulfate	17.4	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-105P Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE73019 Sample Collection Date/Time: 04/26/2024 11:00
 Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	4.63	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	8.4	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	189	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	5.9	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	10.2	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Dissolved Boron	33.1	17.3	ug/L	40.0	1	J	EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	89.4	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	73.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	73.1	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	21.6	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Comments:

Sample Description: **LS-106 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73020 Sample Collection Date/Time: 04/26/2024 15:38
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	12.52	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	6.0	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	33	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	6.2	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	181.6	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Boron	128	17.3	ug/L	40.0	1		EPA 200.7	5/1/24	020
Total Calcium	4790	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	29.5	1.0	mg/L	5.4	1		Std Mtd 2340B	5/1/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Calcium	3800	114	ug/L	500	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	14.5	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Alkalinity as CaCO3	13.7	5.0	mg/L	10.0	1		SM 2320 B-1997	5/10/24	020
Bicarbonate Ion	13.7	5.0	mg/L	10.0	1		HCO3	5/10/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/10/24	020
Total Dissolved Solids	36.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	5/1/24	020
Total Chloride	Less Than	3.0	mg/L	10.0	5	D3	EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.48	mg/L	1.6	5		EPA 300.0	5/14/24	020
Total Sulfate	Less Than	2.2	mg/L	10.0	5		EPA 300.0	5/14/24	020
Dissolved Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	5/14/24	020
Dissolved Fluoride	0.13	0.095	mg/L	0.32	1	J	EPA 300.0	5/14/24	020
Dissolved Sulfate	1.3	0.44	mg/L	2.0	1	J	EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **LS-107 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73021 Sample Collection Date/Time: 04/26/2024 12:34
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	5.85	0.05	feet		1		H2OD	4/26/24	J OETTINGER
Field Temperature	5.7	0.1	Degrees t		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	255	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	5.8	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	2.4	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Boron	32.8	17.3	ug/L	40.0	1	J	EPA 200.7	5/1/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-107 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73021 Sample Collection Date/Time: 04/26/2024 12:34
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Calcium	31000	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	106	1.0	mg/L	5.4	1		Std Mtd 2340B	5/1/24	020
Total Alkalinity as CaCO3	37.0	5.0	mg/L	10.0	1		SM 2320 B-1997	5/7/24	020
Bicarbonate Ion	37.0	5.0	mg/L	10.0	1		HCO3	5/7/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/7/24	020
Total Dissolved Solids	180	8.7	mg/L	20.0	1		Std Mtd 2540 C	5/1/24	020
Total Chloride	20.3	0.59	mg/L	2.0	1		EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	54.7	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **QAQC 1 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73022 Sample Collection Date/Time: 04/25/2024 00:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	18.8	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	12.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	12.1	5.0	mg/L	10.0	1		HCO3	5/9/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	6.4	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **QAQC 2 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73023 Sample Collection Date/Time: 04/25/2024 00:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	4/30/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	4/30/24	020
Total Hardness as CaCO3	72.8	1.0	mg/L	5.4	1		Std Mtd 2340B	4/30/24	020
Total Filtered Alkalinity as CaCO3	7.5	5.0	mg/l	10.0	1	J	Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	7.5	5.0	mg/L	10.0	1	J	HCO3	5/9/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **QAQC 2 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73023 Sample Collection Date/Time: 04/25/2024 00:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	4.8	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **QAQC 3 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73024 Sample Collection Date/Time: 04/26/2024 00:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	5/1/24	020
Total Calcium	8700	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	27.9	1.0	mg/L	5.4	1		Std Mtd 2340B	5/1/24	020
Total Alkalinity as CaCO3	24.0	5.0	mg/L	10.0	1		SM 2320 B-1997	5/7/24	020
Bicarbonate Ion	24.0	5.0	mg/L	10.0	1		HCO3	5/7/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/7/24	020
Total Dissolved Solids	60.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	5/1/24	020
Total Chloride	1.0	0.59	mg/L	2.0	1	J	EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	10.0	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **EB 1 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73025 Sample Collection Date/Time: 04/25/2024 16:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	10.5	0.1	Degrees C		1		TEMP	4/25/24	J OETTINGER
Field Conductivity	4.6	0	umhos		1		FCOND25	4/25/24	J OETTINGER
Field pH	7.0	0.1	Units	0.1	1		FIELDPH	4/25/24	J OETTINGER
Turbidity	0.82	0.1	NTU'S		1		EPA 180.1	4/25/24	J OETTINGER
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	5/15/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	5/15/24	020
Total Hardness as CaCO3	Less Than	1.00	mg/L	5.40	1		Std Mtd 2340B	5/15/24	020
Total Filtered Alkalinity as CaCO3	Less Than	5.0	mg/l	10.0	1		Std Mtd 2320 B	5/9/24	020
Bicarbonate Ion	Less Than	5.0	mg/L	10.0	1		HCO3	5/9/24	020

Report Date: Friday, May 24, 2024

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **EB 1 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73025 Sample Collection Date/Time: 04/25/2024 16:00
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/9/24	020
Dissolved Sulfate	Less Than	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

Sample Description: **EB 2 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE73026 Sample Collection Date/Time: 04/26/2024 16:40
Sample Received: 05/24/2024 Sample Collector: R E LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	10.9	0.1	Degrees C		1		TEMP	4/26/24	J OETTINGER
Field Conductivity	3.2	0	umhos		1		FCOND25	4/26/24	J OETTINGER
Field pH	7.0	0.1	Units	0.1	1		FIELDPH	4/26/24	J OETTINGER
Turbidity	0.46	0.1	NTU'S		1		EPA 180.1	4/26/24	J OETTINGER
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	5/1/24	020
Total Calcium	Less Than	114	ug/L	500	1		EPA 200.7	5/1/24	020
Total Hardness as CaCO3	Less Than	1.00	mg/L	5.40	1		Std Mtd 2340B	5/1/24	020
Total Alkalinity as CaCO3	Less Than	5.0	mg/L	10.0	1		SM 2320 B-1997	5/7/24	020
Bicarbonate Ion	Less Than	5.0	mg/L	10.0	1		HCO3	5/7/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	5/7/24	020
Total Dissolved Solids	Less Than	8.7	mg/L	20.0	1		Std Mtd 2540 C	5/1/24	020
Total Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	5/14/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	5/14/24	020
Total Sulfate	Less Than	0.44	mg/L	2.0	1		EPA 300.0	5/14/24	020

Sample Comments:

LOD and LOQ are adjusted for dilution factor.

'J' Flag, if present indicates an estimated concentration at or above the LOD and below the LOQ.

If there are any questions concerning this report, please contact Lab Services: 414-221-4595

To: Eric Kovatch
 PSB Annex A231

From: WEC Business Services
 Laboratory Services PSBA-A070
 WDNR Cert # 241329000



Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: LS-10 Weston Disposal Site #3 - Ash Landfill Sample									
Sample ID:	AE75995	Sample Collection Date/Time:		10/16/2024	12:50				
Sample Received:	12/17/2024	Sample Collector:		RE LEE					
<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	14.93	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	8.6	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	303	0	umhos		1		FCOND25	10/16/24	REL
Field pH	7.3	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	9.9	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Total Filtered Alkalinity as CaCO3	157	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	4.4	0.44	mg/L	2.0	1	H1	EPA 300.0	11/14/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	168	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Qualifier H1 - analysis conducted outside of the method hold time.

Sample Description: LS-48P Weston Disposal Site #3 - Ash Landfill Sample									
Sample ID:	AE75996	Sample Collection Date/Time:		10/15/2024	16:30				
Sample Received:	12/17/2024	Sample Collector:		RE LEE					
<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	1.75	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	6.0	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	214	0	umhos		1		FCOND25	10/15/24	REL
Field pH	7.1	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	52.9	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	97.0	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	16.6	0.44	mg/L	2.0	1	H1	EPA 300.0	11/13/24	020
Dissolved Boron	75.8	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	19.0	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	50.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Comments:

Qualifier H1 - analysis conducted outside of the method hold time.

Sample Description: **LS-48R Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE75997 Sample Collection Date/Time: 10/15/2024 16:40
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	2.19	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	8.5	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	224	0	umhos		1		FCOND25	10/15/24	REL
Field pH	6.7	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	27.1	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	110	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	9.8	0.44	mg/L	2.0	1	M0	EPA 300.0	11/11/24	020
Dissolved Boron	79.0	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	2.6	2.4	ug/L	10.0	1	J	EPA 200.7	10/23/24	020
Total Hardness as CaCO3	99.4	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-49R Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE75998 Sample Collection Date/Time: 10/17/2024 09:48
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	4.34	0.05	feet		1		H2OD	10/17/24	REL
Field Temperature	8.6	0.1	Degrees t		1		TEMP	10/17/24	REL
Field Conductivity	128	0	umhos		1		FCOND25	10/17/24	REL
Field pH	6.2	0.1	Units	0.1	1		FIELDPH	10/17/24	REL
Turbidity	4.1	0.1	NTU'S		1		EPA 180.1	10/17/24	REL
Total Filtered Alkalinity as CaCO3	61.2	20	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	5.9	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	52.7	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-54 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE75999 Sample Collection Date/Time: 10/15/2024 14:10
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	2.45	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	9.3	0.1	Degrees C		1		TEMP	10/15/24	REL
Field Conductivity	57	0	umhos		1		FCOND25	10/15/24	REL
Field pH	5.7	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	42.7	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	20.8	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	3.5	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	15.9	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-54P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76000 Sample Collection Date/Time: 10/15/2024 14:20
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	1.57	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	6.7	0.1	Degrees C		1		TEMP	10/15/24	REL
Field Conductivity	90	0	umhos		1		FCOND25	10/15/24	REL
Field pH	5.9	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	133.3	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	39.8	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	4.5	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	32.0	17.3	ug/L	40.0	1	J	EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	31.5	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-100P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76001 Sample Collection Date/Time: 10/15/2024 16:00
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	11.37	0.05	feet		1		H2OD	10/15/24	REL

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-100P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76001 Sample Collection Date/Time: 10/15/2024 16:00
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	8.5	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	272	0	umhos		1		FCOND25	10/15/24	REL
Field pH	6.5	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	10.1	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	121	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	23.0	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	22.1	17.3	ug/L	40.0	1	J	EPA 200.7	10/23/24	020
Dissolved Molybdenum	3.1	2.4	ug/L	10.0	1	J	EPA 200.7	10/23/24	020
Total Hardness as CaCO3	121	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-101P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76002 Sample Collection Date/Time: 10/16/2024 11:45
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	13.22	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	7.5	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	72	0	umhos		1		FCOND25	10/16/24	REL
Field pH	6.9	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	56.7	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Total Filtered Alkalinity as CaCO3	26.5	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	3.4	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	19.7	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-102 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76003 Sample Collection Date/Time: 10/16/2024 12:20
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	4.24	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	10.5	0.1	Degrees t		1		TEMP	10/16/24	REL

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-102 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76003 Sample Collection Date/Time: 10/16/2024 12:20
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Conductivity	104	0	umhos		1		FCOND25	10/16/24	REL
Field pH	5.7	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	2.2	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Total Filtered Alkalinity as CaCO3	20.7	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	8.2	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	27.2	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-102P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76004 Sample Collection Date/Time: 10/16/2024 12:30
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	3.50	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	8.1	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	107	0	umhos		1		FCOND25	10/16/24	REL
Field pH	5.7	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	105	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Total Filtered Alkalinity as CaCO3	28.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	9.0	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	35.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Sample Comments:

Sample Description: **LS-103 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76005 Sample Collection Date/Time: 10/15/2024 12:35
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	15.16	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	10.4	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	299	0	umhos		1		FCOND25	10/15/24	REL

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-103 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76005 Sample Collection Date/Time: 10/15/2024 12:35
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field pH	5.8	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	6.2	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	15.8	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/29/24	020
Dissolved Sulfate	7.4	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	78.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020

Sample Comments:

Sample Description: **LS-103P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76006 Sample Collection Date/Time: 10/15/2024 12:45
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	15.86	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	7.2	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	523	0	umhos		1		FCOND25	10/15/24	REL
Field pH	6.7	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	249	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	163	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	15.3	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	18.9	17.3	ug/L	40.0	1	J	EPA 200.7	10/22/24	020
Dissolved Molybdenum	4.9	2.4	ug/L	10.0	1	J	EPA 200.7	10/22/24	020
Total Hardness as CaCO3	226	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020

Sample Comments:

Sample Description: **LS-104 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76007 Sample Collection Date/Time: 10/15/2024 13:25
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	14.60	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	10.2	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	54	0	umhos		1		FCOND25	10/15/24	REL
Field pH	5.9	0.1	Units	0.1	1		FIELDPH	10/15/24	REL

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-104 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76007 Sample Collection Date/Time: 10/15/2024 13:25
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Turbidity	161.2	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	16.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/29/24	020
Dissolved Sulfate	2.4	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	11.1	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020

Sample Comments:

Sample Description: **LS-105P Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76008 Sample Collection Date/Time: 10/15/2024 15:20
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	5.78	0.05	feet		1		H2OD	10/15/24	REL
Field Temperature	9.6	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	181	0	umhos		1		FCOND25	10/15/24	REL
Field pH	5.9	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	7.6	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	56.4	20	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	27.6	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	63.9	17.3	ug/L	40.0	1		EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	74.9	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020

Sample Comments:

Sample Description: **QAQC 1 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76009 Sample Collection Date/Time: 10/15/2024 00:00
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Filtered Alkalinity as CaCO3	16.6	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/29/24	020
Dissolved Sulfate	7.5	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/28/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/28/24	020
Total Hardness as CaCO3	76.6	1.0	mg/L	5.4	1		Std Mtd 2340B	10/28/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Comments:

Sample Description: **QAQC 2 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76010 Sample Collection Date/Time: 10/15/2024 00:00
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Filtered Alkalinity as CaCO3	56.3	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	27.4	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	64.1	17.3	ug/L	40.0	1		EPA 200.7	10/28/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/28/24	020
Total Hardness as CaCO3	75.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/28/24	020

Sample Comments:

Sample Description: **EB 1 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76011 Sample Collection Date/Time: 10/15/2024 17:00
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	8.1	0.1	Degrees t		1		TEMP	10/15/24	REL
Field Conductivity	2.9	0	umhos		1		FCOND25	10/15/24	REL
Field pH	7.0	0.1	Units	0.1	1		FIELDPH	10/15/24	REL
Turbidity	1.3	0.1	NTU'S		1		EPA 180.1	10/15/24	REL
Total Filtered Alkalinity as CaCO3	Less Than	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Dissolved Sulfate	Less Than	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/28/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/28/24	020
Total Hardness as CaCO3	Less Than	1.0	mg/L	5.4	1		Std Mtd 2340B	10/28/24	020

Sample Comments:

Sample Description: **LS-100 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76012 Sample Collection Date/Time: 10/16/2024 16:36
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	11.18	0.05	feet		1		H2OD	10/16/24	REL

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-100 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76012 Sample Collection Date/Time: 10/16/2024 16:36
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	11.6	0.1	Degrees C		1		TEMP	10/16/24	REL
Field Conductivity	149	0	umhos		1		FCOND25	10/16/24	REL
Field pH	5.52	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	3.6	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Boron	23.6	17.3	ug/L	40.0	1		EPA 200.7	10/28/24	020
Dissolved Calcium	17800	114	ug/L	500	1	D9	EPA 200.7	10/28/24	020
Dissolved Magnesium	3090	182	ug/L	1000	1	D9	EPA 200.7	10/28/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/28/24	020
Dissolved Sodium	5330	350	ug/L	500	1		EPA 200.7	10/28/24	020
Dissolved Potassium	1500	325	ug/L	1000	1		EPA 200.7	10/28/24	020
Total Hardness as CaCO3	57.1	1.0	mg/L	5.4	1		Std Mtd 2340B	10/28/24	020
Dissolved Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Sulfate	16.2	0.44	mg/L	2.0	1	D9	EPA 300.0	11/11/24	020
Total Filtered Alkalinity as CaCO3	45.6	5.0	mg/l	10.0	1	D9	Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	45.2	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Total Calcium	17400	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	55.8	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1	M0	EPA 300.0	11/7/24	020
Total Chloride	2.2	0.59	mg/L	2.0	1		EPA 300.0	11/7/24	020
Total Sulfate	15.4	0.44	mg/L	2.0	1	M0	EPA 300.0	11/7/24	020
Total Dissolved Solids	86.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	45.2	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

Sample Description: **LS-101 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76013 Sample Collection Date/Time: 10/16/2024 15:41
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	13.14	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	10.4	0.1	Degrees C		1		TEMP	10/16/24	REL
Field Conductivity	49	0	umhos		1		FCOND25	10/16/24	REL
Field pH	5.8	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	9.2	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/28/24	020
Dissolved Calcium	4530	114	ug/L	500	1		EPA 200.7	10/28/24	020
Dissolved Magnesium	1050	182	ug/L	1000	1		EPA 200.7	10/28/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/28/24	020
Dissolved Sodium	2920	350	ug/L	500	1		EPA 200.7	10/28/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-101 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76013 Sample Collection Date/Time: 10/16/2024 15:41
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Potassium	1360	325	ug/L	1000	1		EPA 200.7	10/28/24	020
Total Hardness as CaCO3	15.7	1.0	mg/L	5.4	1		Std Mtd 2340B	10/28/24	020
Dissolved Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	11/11/24	020
Dissolved Sulfate	2.1	0.44	mg/L	2.0	1		EPA 300.0	11/11/24	020
Total Filtered Alkalinity as CaCO3	24.2	5.0	mg/l	10.0	1	D9	Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	21.6	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Total Calcium	4560	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	15.9	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Sulfate	2.1	0.44	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Dissolved Solids	34.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	21.6	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

Sample Description: **LS-105 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76014 Sample Collection Date/Time: 10/16/2024 17:18
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	5.81	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	11.2	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	190	0	umhos		1		FCOND25	10/16/24	REL
Field pH	6.0	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	3.7	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Boron	51.8	17.3	ug/L	40.0	1	D9	EPA 200.7	10/22/24	020
Dissolved Calcium	21900	114	ug/L	500	1	D9	EPA 200.7	10/22/24	020
Dissolved Magnesium	5130	182	ug/L	1000	1	D9	EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Dissolved Sodium	3880	350	ug/L	500	1		EPA 200.7	10/22/24	020
Dissolved Potassium	1360	325	ug/L	1000	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	75.8	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020
Dissolved Chloride	0.79	0.59	mg/L	2.0	1	J, M0	EPA 300.0	11/12/24	020
Dissolved Sulfate	9.2	0.44	mg/L	2.0	1	D9, M0	EPA 300.0	11/12/24	020
Total Filtered Alkalinity as CaCO3	82.5	5.0	mg/l	10.0	1	D9	Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	77.7	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	51.4	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Total Calcium	20500	114	ug/L	500	1		EPA 200.7	10/23/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-105 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76014 Sample Collection Date/Time: 10/16/2024 17:18
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Hardness as CaCO3	71.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	0.85	0.59	mg/L	2.0	1	J	EPA 300.0	11/12/24	020
Total Sulfate	9.0	0.44	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Dissolved Solids	98.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	77.7	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

Sample Description: **LS-106 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76015 Sample Collection Date/Time: 10/16/2024 18:13
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	11.68	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	12.5	0.1	Degrees C		1		TEMP	10/16/24	REL
Field Conductivity	127	0	umhos		1		FCOND25	10/16/24	REL
Field pH	6.0	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	21.5	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Calcium	16100	114	ug/L	500	1	D9	EPA 200.7	10/22/24	020
Dissolved Magnesium	5210	182	ug/L	1000	1	D9	EPA 200.7	10/22/24	020
Dissolved Sodium	4540	350	ug/L	500	1		EPA 200.7	10/22/24	020
Dissolved Potassium	1250	325	ug/L	1000	1		EPA 200.7	10/22/24	020
Dissolved Chloride	1.4	0.59	mg/L	2.0	1	J	EPA 300.0	11/12/24	020
Dissolved Sulfate	1.9	0.44	mg/L	2.0	1	J	EPA 300.0	11/12/24	020
Total Filtered Alkalinity as CaCO3	66.4	5.0	mg/l	10.0	1	D9	Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	65.2	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	29.3	17.3	ug/L	40.0	1	J	EPA 200.7	10/23/24	020
Total Calcium	14500	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	57.3	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	1.3	0.59	mg/L	2.0	1	J	EPA 300.0	11/12/24	020
Total Sulfate	1.8	0.44	mg/L	2.0	1	J	EPA 300.0	11/12/24	020
Total Dissolved Solids	80.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	65.2	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

To: Eric Kovatch
 PSB Annex A231

From: WEC Business Services
 Laboratory Services PSBA-A070
 WDNR Cert # 241329000



Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **LS-106 High Turbidity WDS #3 - Ash Landfill Sample**
 Sample ID: AE76258 Sample Collection Date/Time: 10/16/2024 18:13
 Sample Received: 01/03/2025 Sample Collector: JONAH OETTINGER

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Boron	36.8	17.3	ug/L	40.0	1	J	EPA 200.7	10/22/24	020
Dissolved Calcium	16700	114	ug/L	500	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	63.9	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020
Total Filtered Alkalinity as CaCO3	67.4	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Bicarbonate Ion	67.4	5.0	mg/L	10.0	1		HCO3	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/25/24	020
Total Dissolved Solids	68.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Dissolved Chloride	1.5	0.59	mg/L	2.0	1	J	EPA 300.0	11/13/24	020
Dissolved Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/13/24	020
Dissolved Sulfate	1.8	0.44	mg/L	2.0	1	J	EPA 300.0	11/13/24	020

Sample Comments:

Per field notes, this is a duplicate sample for LS-106 collected at the same time as the original sample (see AE76015)

LOD and LOQ are adjusted for dilution factor.

'J' Flag, if present indicates an estimated concentration at or above the LOD and below the LOQ.

If there are any questions concerning this report, please contact Lab Services: 414-221-4595

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Comments:

Sample Description: **LS-107 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76016 Sample Collection Date/Time: 10/16/2024 14:27
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Water Level	6.24	0.05	feet		1		H2OD	10/16/24	REL
Field Temperature	11.1	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	271	0	umhos		1		FCOND25	10/16/24	REL
Field pH	5.6	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	3.4	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Calcium	33100	114	ug/L	500	1	D9	EPA 200.7	10/22/24	020
Dissolved Magnesium	7330	182	ug/L	1000	1	D9	EPA 200.7	10/22/24	020
Dissolved Sodium	9410	350	ug/L	500	1		EPA 200.7	10/22/24	020
Dissolved Potassium	1940	325	ug/L	1000	1		EPA 200.7	10/22/24	020
Dissolved Chloride	23.8	0.59	mg/L	2.0	1		EPA 300.0	11/12/24	020
Dissolved Sulfate	52.8	0.44	mg/L	2.0	1	D9	EPA 300.0	11/12/24	020
Total Filtered Alkalinity as CaCO3	40.1	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	40.1	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	33.2	17.3	ug/L	40.0	1	J	EPA 200.7	10/23/24	020
Total Calcium	29900	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	102	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	23.8	0.59	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Sulfate	51.4	0.44	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Dissolved Solids	184	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	40.1	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

Sample Description: **QAQC 3 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76017 Sample Collection Date/Time: 10/16/2024 00:00
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Boron	29.7	17.3	ug/L	40.0	1	J	EPA 200.7	10/22/24	020
Dissolved Calcium	19100	114	ug/L	500	1	D9	EPA 200.7	10/22/24	020
Dissolved Magnesium	3260	182	ug/L	1000	1	D9	EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Dissolved Sodium	5800	350	ug/L	500	1		EPA 200.7	10/22/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **QAQC 3 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76017 Sample Collection Date/Time: 10/16/2024 00:00
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Dissolved Potassium	1550	325	ug/L	1000	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	61.2	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020
Dissolved Chloride	2.0	0.59	mg/L	2.0	1		EPA 300.0	11/13/24	020
Dissolved Sulfate	15.3	0.44	mg/L	2.0	1		EPA 300.0	11/13/24	020
Total Filtered Alkalinity as CaCO3	45.6	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	46.2	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	17.3	17.3	ug/L	40.0	1	J	EPA 200.7	10/23/24	020
Total Calcium	17300	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	55.7	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	2.1	0.59	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Sulfate	15.7	0.44	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Dissolved Solids	76.0	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	46.2	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

Sample Description: **EB 2 Weston Disposal Site #3 - Ash Landfill Sample**
 Sample ID: AE76018 Sample Collection Date/Time: 10/16/2024 18:40
 Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Field Temperature	10.2	0.1	Degrees t		1		TEMP	10/16/24	REL
Field Conductivity	3.6	0	umhos		1		FCOND25	10/16/24	REL
Field pH	6.9	0.1	Units	0.1	1		FIELDPH	10/16/24	REL
Turbidity	1.5	0.1	NTU'S		1		EPA 180.1	10/16/24	REL
Dissolved Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/22/24	020
Dissolved Calcium	Less Than	114	ug/L	500	1		EPA 200.7	10/22/24	020
Dissolved Magnesium	Less Than	182	ug/L	1000	1		EPA 200.7	10/22/24	020
Dissolved Molybdenum	Less Than	2.4	ug/L	10.0	1		EPA 200.7	10/22/24	020
Dissolved Sodium	Less Than	350	ug/L	500	1		EPA 200.7	10/22/24	020
Dissolved Potassium	Less Than	325	ug/L	1000	1		EPA 200.7	10/22/24	020
Total Hardness as CaCO3	Less Than	1.0	mg/L	5.4	1		Std Mtd 2340B	10/22/24	020
Dissolved Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	11/13/24	020
Dissolved Sulfate	Less Than	0.44	mg/L	2.0	1		EPA 300.0	11/13/24	020
Total Filtered Alkalinity as CaCO3	Less Than	5.0	mg/l	10.0	1		Std Mtd 2320 B	10/25/24	020
Carbonate Ion	Less Than	5.0	mg/L	10.0	1		CO3	10/22/24	020
Bicarbonate Ion	Less Than	5.0	mg/L	10.0	1		HCO3	10/22/24	020
Total Boron	Less Than	17.3	ug/L	40.0	1		EPA 200.7	10/23/24	020
Total Calcium	Less Than	114	ug/L	500	1		EPA 200.7	10/23/24	020
Total Hardness as CaCO3	Less Than	1.0	mg/L	5.4	1		Std Mtd 2340B	10/23/24	020

Report Date: Wednesday, January 8, 2025

The following are the analytical results for samples received by Laboratory Services:

Sample Description: **EB 2 Weston Disposal Site #3 - Ash Landfill Sample**
Sample ID: AE76018 Sample Collection Date/Time: 10/16/2024 18:40
Sample Received: 12/17/2024 Sample Collector: RE LEE

<u>Parameter</u>	<u>Result</u>	<u>LOD</u>	<u>Units</u>	<u>LOQ</u>	<u>DIL</u>	<u>Result Flag</u>	<u>Analysis Method</u>	<u>Analysis Date</u>	<u>Analyst</u>
Total Fluoride	Less Than	0.095	mg/L	0.32	1		EPA 300.0	11/12/24	020
Total Chloride	Less Than	0.59	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Sulfate	Less Than	0.44	mg/L	2.0	1		EPA 300.0	11/12/24	020
Total Dissolved Solids	Less Than	8.7	mg/L	20.0	1		Std Mtd 2540 C	10/23/24	020
Total Alkalinity as CaCO3	Less Than	5.0	mg/L	10.0	1		SM 2320 B-1997	10/22/24	020

Sample Comments:

LOD and LOQ are adjusted for dilution factor.
'J' Flag, if present indicates an estimated concentration at or above the LOD and below the LOQ.

If there are any questions concerning this report, please contact Lab Services: 414-221-4595